

DRUG/PRODUCT NAME	CONDITION USED FOR	INJURIES/DAMAGES ALLEGED	LP CASE CRITERIA	MANUFACTURER(S)
Attune Knee Implants (Arthrex or Exactech)	Knee replacement	Cement failure, debonding, loosening,	Any product in place, failure or replacement	Arthrex, Depuy, or Exactech
Cardiac Heater Cooler Device	Cardiac surgery to maintain blood temperature during surgery	Rare, slow growing infection under the non-tuberculosis mycobacteria (NTM) umbrella	Cardiac surgery within last 5 years, notification from facility of exposure to device; diagnosed specific infection; and/or symptoms of infection	Sorin/LivaNova
Concerta	Attention Deficit Hyperactivity Disorder (ADHD) & Attention Deficit Disorder (ADD)	Suicide and severe injuries from failed suicide	Suicide or injuries from attempted suicide in a child 13 years or younger	Janssen
Essure	Birth Control	Hysterectomy, partial hysterectomy, product removal, migration, nickel allergy	Hysterectomy, partial hysterectomy, product removal, migration. LP is not taking product in place cases with no issue or allergy only cases	Bayer
Gadolinium	MRI / MRA Contrast Agent	Gadolinium Deposition Disease (GDD); or symptoms consistent with GDD, including bone and joint pain, tendon issues, or skin thickening or coloring issues	MRI / MRA with contrast and symptoms within 2 months of MRI/MRA; no pre-existing kidney or renal insufficiency, no pre-existing diagnosis of illnesses exhibiting symptoms similar to GDD such as MS, neuropathy, fibromyalgia, RA, or Parkinsons, preferable urine or other type positive Gadolinium test	GE, Bayer, Bracco, & Guerbet
Hernia Mesh	Used to repair of a weak spot or tear in abdominal muscle (hernia)	Infection, severe pain, hernia recurrence, adhesions, organ damage, migration	Composite mesh Implanted after 2009 with revision, severe pain, bowel blockage, adhesions, infections. Mfr. Bard, Covidien, Atrium, Ethicon	Johnson & Johnson subsidiary/ Ethicon, Atrium Medical, C.R. Bard subsidiary/Bard Davol; Medtronic (formerly Covidien) & others
IVC Filter	Prevents blood clots and pulmonary embolism	Migration, perforation of organs, fracture, or post-implant thrombosis	Device implanted 2003-present.	CR Bard/BPV & Cook Medical
HIPS - Metal-on-Metal /Recalled Hips	Hip replacement	Revision/repair surgery, product failure	2007-2016 implant, recalled device , positive cobalt test or revised styker	DePuy, Stryker, and Smith & Nephew

DRUG/PRODUCT NAME	CONDITION USED FOR	INJURIES INVOLVED	SCREENING CRITERIA	MANUFACTURER(S)
Opioids	Pain	addiction, overdosing, over billing/payment	Representing only states, counties, & Cities. LP does not accept individual injury cases	all opioid distributors & Manufacturers
Proton-Pump Inhibitors: Nexium, Prilosec, Prevacid	Persistent heartburn and acid reflux disease	Chronic kidney disease, acute kidney injury, such as interstitial nephritis, NOTE: The following injuries have also been alleged, but we are not accepting these cases dementia, bone fractures, cancer, and increased risk of heart attack	Brand name or OTC use with related acute kidney injury (hospitalization is required) or dx of chronic kidney disease Stage 3 or greater (1 year of use preferred); and discontinuation of drug	Various
Talc	Hygiene	ovarian, fallopian tube, or mesothelioma	Ovarian cancer, fallopian cancers, or mesothelioma diagnosed by the age of 70; consistent use of talcum powder for at least 5 years; negative BRCA 1 genetic testing (if tested), exposure post 1982, and cancer dx preferably 2000 or later (we will evaluate all meso cases)	Johnson & Johnson
Testosterone (TRT) (AbbVie AndroGel)	Low testosterone in men	Heart attack, stroke DVT, PE	Event must occur within 90 days of usage. Label changed for DVT/VTE 6/2014 AND MI and Stroke 5/2015. LP is not accepting cases involving injectable TRT.	AbbVie
Valsartan	High Blood Pressure	Acute liver injury or cancer after being exposed to NDMA tainted valsartan or combination valsartan medication	Hospitalization due to acute liver or kidney injury or a diagnosis of liver, kidney, stomach, bladder, pancreatic, intestinal (colon) & other GI cancers after ingesting tainted valsartan for at least 30 days from 2014 forward.	Various Generic Manufacturers
Xarelto	Blood thinner used to prevent strokes in patients with afib or other heart related issues	Uncontrolled bleeding event that required transfusion or resulted in death	Uncontrolled bleeding event, gastrointestinal bleed or brain hemorrhage while on Xarelto or within 24 hours of taking Xarelto	Janssen Pharmaceuticals and Bayer Pharmaceuticals